

Certificate of conformity with the following UK legislation

Registered No.:
44 799 22 406749 - 165

The Electrical Equipment (Safety) Regulations 2016

Date of application	File reference	Test report No.	Date of issue	Place of issue
2022-11-11	PVP01027/22P-33	492012096.002	2022-11-22	Essen

This is to certify that the following products comply to the essential requirements of the above mentioned UK legislation and the following standards:

Product: Crystalline Silicon Terrestrial Photovoltaic (PV) Modules

Type designation: See Annex 1

Applicant: **SOLARWATT GmbH**
Maria-Reiche-Straße 2a
01109 Dresden, Sachsen,
Germany

Standard(s): EN IEC 61730-1:2018; EN IEC 61730-1:2018/AC:2018-06
EN IEC 61730-2:2018; EN IEC 61730-2:2018/AC:2018-06

This Certificate of conformity is based on the evaluation of samples of the product. It does not imply an assessment of the production and it does not permit the use of a mark of conformity or of a safety mark of the TÜV NORD CERT GmbH. The holder of this certificate may use this Certificate together with his UK Declaration of Conformity.



Certification Body
Specialist Manager Consumer Products

TÜV NORD CERT GmbH
Am TÜV 1
D-45307 Essen
P.O.Box 10 32 61
D-45032 Essen
Fon: +49 (0)201 825-5120
Fax: +49 (0)201 825-3209
Email: prodcert@tuev-nord.de

Description of product(s):

Module types:

Double Glass PV Modules with Mono-crystalline Silicon Half-Cut Bifacial Solar Cells (156.75mm to 166mm):

120 cells: SOLARWATT Panel vision AM 3.0 (xxx Wp) pure (xxx=350-375, in step of 5)

120 cells: SOLARWATT Panel vision AM 3.0 (xxx Wp) style (xxx=350-375, in step of 5)

120 cells: SOLARWATT Panel vision AM 3.0 (xxx Wp) black (xxx=350-375, in step of 5)

Remark: The power parameter included in the module types only indicates maximum power output of front side.



TÜV NORD CERT GmbH
Certification Body
Consumer Products

Module types:

Double Glass PV Modules with 182mm Mono-crystalline Silicon Half-Cut Bifacial Solar Cells:

108 cells: SOLARWATT Panel vision AM 4.0 (xxx Wp) pure (xxx=395-410, in step of 5)

108 cells: SOLARWATT Panel vision AM 4.1 (xxx Wp) pure (xxx=395-410, in step of 5)

108 cells: SOLARWATT Panel vision AM 4.0 (xxx Wp) pure, low carbon (xxx=395-410, in step of 5)

108 cells: SOLARWATT Panel vision AM 4.1 (xxx Wp) pure, low carbon (xxx=395-410, in step of 5)

108 cells: SOLARWATT Panel vision AM 4.0 (xxx Wp) style (xxx=395-410, in step of 5)

108 cells: SOLARWATT Panel vision AM 4.1 (xxx Wp) style (xxx=395-410, in step of 5)

108 cells: SOLARWATT Panel vision AM 4.0 (xxx Wp) style, low carbon (xxx=395-410, in step of 5)

108 cells: SOLARWATT Panel vision AM 4.1 (xxx Wp) style, low carbon (xxx=395-410, in step of 5)

108 cells: SOLARWATT Panel vision AM 4.0 (xxx Wp) black (xxx=395-410, in step of 5)

108 cells: SOLARWATT Panel vision AM 4.1 (xxx Wp) black (xxx=395-410, in step of 5)

108 cells: SOLARWATT Panel vision AM 4.0 (xxx Wp) black, low carbon (xxx=395-410, in step of 5)

108 cells: SOLARWATT Panel vision AM 4.1 (xxx Wp) black, low carbon (xxx=395-410, in step of 5)

Remark: The power parameter included in the module types only indicates maximum power output of front side.



TÜV NORD CERT GmbH
Certification Body
Consumer Products